

高炭素クロム軸受鋼(ベアリング)

SUJ2

(丸)

径	在庫有無	径	在庫有無
13	○	65	●
16	●	70	●
19	●	75	●
22	●	80	●
25	●	85	●
28	●	90	●
30	●	95	●
32	●	100	●
34	●	110	●
36	●	120	●
38	●	130	●
40	●	140	●
42	●	150	●
46	●	160	●
48	●	170	●
50	●	180	●
55	●	190	●
60	●	200	●

定尺の長さは乱尺です。
 在庫品でも欠品の場合があります。
 どうぞお問い合わせください。
 φ 22以下は定尺のみの販売となります。
 在庫あり●
 取寄せ品○

機械構造用炭素鋼

在庫あり●
取寄せ品○

(丸)

鋼種 径	S25C	S35C	S45C	SS400	非調質鋼
13	○		●		
16	●		●		
19	●		●		
22	●		●		●
(25)	●		●	●	●
28	●		●	●	●
30	○		○	○	
32	●		●	●	●
34	●		●	○	●
36	●		●	●	●
38	●		●	●	●
40	○		●	○	
42	●		●	●	●
44	●		●	●	●
46	●		●	●	●
48	○		●	○	○
50	●		●	●	●
55	●	○	●	●	●
60	●	○	●	●	●
65	●	○	●	●	●
70	●	○	●	●	●
75	●	○	●	●	●
80	●	○	●	●	●
85	●	○	●	●	●
90	●	○	●	●	●
95	●	○	●	●	●
100	●	○	●	●	●
105	○	○	●		
110	●	○	●	●	●
120	●	○	●	●	●
130	●	○	●	○	●
140	●	○	●	○	●
150	●	○	●	○	●
160	●	○	●	○	●
170	●	○	●	○	○
180	●	○	●	○	○
190	●	○	●	○	○
200	●	○	●	○	○
210	●	○	●		
220	●	○	●		
230	●	○	●		
240	●	○	●		
250	●	○	●		
260	●	○	●		
270	●	○	●		
280	●	○	●		
290	●	○	●		
300	●	○	●		
310	●	○	●		
320	●	○	●		

機械構造用炭素鋼

在庫あり●
取寄せ品○

(丸)

鋼種 径	S25C	S35C	S45C	SS400	非調質鋼
330	●	○	●		
340	○	○	●		
350	●	○	●		
360	○	○	●		
370	○	○	●		
380	○	○	●		
390	○	○	●		
400	○	○	●		
410	○		○		
420	○		○		
430	○		○		
440	○		○		
450	○		○		
460	○		○		
470	○		○		
480	○		○		
490	○		○		
500	○		○		
510			○		
530	○		○		
550	○		○		
570			○		
600			○		
610			○		
630			○		
650			○		
680			○		
700			○		
730			○		
750			○		

在庫品でも欠品の場合があります。
 どうぞお問い合わせください。
 非調質鋼の硬度は、HRC18～28です。

機械構造用合金鋼

在庫あり●
取寄せ品○

(丸)

鋼種 径	SCM415H	SM420H	SCM435H	SCM440H	SCM440 (QT材)
16	●	○	○	●	
19	●	○	○	●	
22	●	○	○	●	
(25)	●	●	●	●	●
28	●	●	●	●	●
30	○	○	○	○	
32	●	●	●	●	●
34	●	●	●	○	●
36	●	●	●	●	●
38	●	●	●	●	●
40	○	○	○	○	
42	●	●	●	●	●
44	●	●	●	●	●
46	●	●	●	●	●
48	○	○	○	○	○
50	●	●	●	●	●
55	●	●	●	●	●
60	●	●	●	●	●
65	●	●	●	●	●
70	●	●	●	●	●
75	●	●	●	●	●
80	●	●	●	●	●
85	●	●	●	●	●
90	●	●	●	●	●
95	●	●	●	●	●
100	●	●	●	●	●
105	○	○	○	○	○
110	●	○	●	●	●
120	●	○	●	●	●
130	●	○	●	●	●
140	●	○	●	●	●
150	●	○	●	●	○
160	●	○	●	●	○
170	●	○	●	●	○
180	●	○	●	●	○
190	●	○	●	●	○
200	●	○	○	●	○
210	●	○	○	●	
220	○	○	○	●	
230	○	○	○	●	
240	○	○	○	●	
250	○	○	○	●	
260	○	○	○	●	
270	●	○	○	●	
280	●	○	○	●	
290	●	○	○	○	
300	●	○	○	●	
310	●	○	○	○	
320	●	○	○	●	
330	●	○	○	○	

機械構造用合金鋼

在庫あり●
取寄せ品○

(丸)

鋼種 径	SCM415H	SM420H	SCM435H	SCM440H	SCM440 (QT材)
340	○	○	○	○	
350	●	○	○	●	
360	○	○	○	○	
370	○	○	○	○	
380	○	○	○	●	
390	○	○	○	○	
400	○	○	○	○	
410				○	
420				○	
430				○	
440				○	
450				○	
460				○	
470				○	
480				○	
490				○	
500				○	
510				○	
530				○	
550				○	
570				○	
600				○	
610				○	
630				○	
650				○	

在庫品でも欠品の場合があります。
 どうぞお問い合わせください。
 調質鋼の硬度は、HRC30±3です。

機械構造用合金鋼

在庫あり●
取寄せ品○

(丸)

径 鋼種	SNC415	SNC631	SNC815	SNCM220H	SNCM420H	SNCM439	SNCM630	SACM645	SACM645-QT
13	○	○	○		○	○	○	○	
16	○	○	○		○	○	○	○	
19		○	○		○	○	○	○	
22	○	○	○		○	○	○	○	
25	○	○	○	○	○	○	○	○	
28	○	○	○	○	○	○	○	○	
32	○	○	○		○	○	○	○	○
34	○	○	○		○	○	○	○	
36	○	○	○	○	○	○	○	○	
38	○	○	○	○	○	○	○	○	○
42	○	○	○	○	○	○	○	○	○
44	○	○		○	○	○	○	○	
46	○	○	○	○	○	○	○	○	○
48	○	○	○		○	○			
50	○	○	○	○	○	○	○	○	○
55	○	○	○	○	○	○	○	○	○
60	○	○	○	○	○	●	○	○	○
65	○	○	○	○	○	●	○	○	○
70	○	○	○	○	○	●	○	○	○
75	○	○	○	○	○	●	○	○	○
80	○	○	○	○	○	●	○	○	○
85	○	○	○	○	○	●	○	○	○
90	○	○	○	○	○	●	○	○	○
95	○	○	○	○	○	●	○	○	○
100	○	○	○	○	○	●	○	○	○
105								○	○
110	○	○	○	○	○	●	○	○	○
120	○	○	○	○	○	●	○	○	○
130	○	○	○	○	○	●	○	○	○
140	○	○	○	○	○	●	○	○	○
150	○	○	○	○	○	●	○	○	○
160	○	○	○		○	●	○	○	
170	○	○	○	○	○	●	○	○	○
180	○	○	○	○	○	●	○	○	○
190	○	○	○	○	○	○	○	○	○
200	○	○	○	○	○	○	○	○	○
210	○	○	○			○		○	○
220	○	○	○			○		○	○
230	○	○	○	○		○		○	○
240		○	○			○		○	
250	○	○	○		○	○		○	
260		○				○		○	
270	○	○				○		○	
280	○	○	○			○		○	
290		○				○		○	
300	○	○	○			○		○	
310		○				○		○	
320	○	○	○			○		○	
330		○				○		○	
340		○				○		○	
350	○	○				○		○	
360		○				○		○	

機械構造用合金鋼

在庫あり●
取寄せ品○

(丸)

径	鋼種	SNC415	SNC631	SNC815	SNCM220H	SNCM420H	SNCM439	SNCM630	SACM645	SACM645-QT
370			○				○		○	
380			○				○		○	
390			○				○		○	
400			○				○		○	
410									○	
420									○	
430									○	
440									○	
450									○	
460									○	
470									○	
480									○	
490									○	
500									○	

在庫品でも欠品の場合があります。
 どうぞお問い合わせください。
 SACM645-QTの硬度は、HRC30±3です。

一般用平・角鋼
(SS黒皮・フラットバー)

在庫あり●
取寄せ品○

(平)

巾 \ 厚さ	3	4.5	6	9	12	16	19	22	25	28	32	36	38
9	○												
13	○												
16	○	○	○	○									
19	○	○	○	○									
20					○								
22	○	○	○	○	○								
25	○	○	○	○	○	○	○						
32	○	○	○	○	○	○	○	○	○				
38	○	○	○	○	○	○	○	○	○				
44	○	○	○	○	○	○	○	○					
50	○	○	○	○	○	○	○	○	○	○	○	○	○
60		○	○	○	○	○	○	○					
65	○	○	○	○	○	○	○	○	○	○	○	○	○
70			○	○	○	○	○	○					
75	○	○	○	○	○	○	○	○	○	○	○	○	○
80			○	○	○	○	○	○					
90	○	○	○	○	○	○	○	○	○		○	○	○
100	○	○	○	○	○	○	○	○	○	○	○	○	○
110			○	○	○	○							
120				○	○								
125			○	○	○	○							
150	○	○	○	○	○	○	○	○	○	○	○	○	
160			○	○	○	○							
165			○	○	○	○							
170			○	○	○	○		○					
175			○	○	○	○	○						
180			○	○	○	○	○	○					
190			○	○	○	○							
200			○	○	○	○	○	○	○	○	○		
230			○	○	○	○							
240			○	○	○								
250			○	○	○	○	○	○	○	○	○		
285				○	○								
300			○	○	○	○	○	○	○	○	○		
350			○	○	○	○	○	○	○	○	○		
400				○	○	○	○	○	○	○	○		

(角)

9.5	13	16	19	22	25	28	32	38	44	50	55	60	65	70
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
75	90	100	110	120	130	150								
○	○	○	○	○	○	○								

在庫品でも欠品の場合があります。
どうぞお問い合わせください。

機械構造用炭素鋼(S50C)

在庫あり●
取寄せ品○

(平)

巾 厚さ	19	25	32	38	50	65	75	90	105	130	155	185	210	260	310	360	410	460	510	560
6	○	○	○	○	○	○	○		○											
9.5	○	○	○	○	○	○	○	○	○	○	○									
12.7		○	○	○	○	○	○	○												
13									○	○	○	○	○	○	○	○	○			
16		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○		
19		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○		
22											○	○	○	○	○	○	○	○	○	
25			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
27											○	○	○	○	○	○	○	○	○	○
32				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
38					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
45						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
50						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
55						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
65							○	○	○	○	○	○	○	○	○	○	○	○	○	○
75								○	○	○	○	○	○	○	○	○	○	○	○	○
85									○	○	○	○	○	○	○	○	○	○	○	○
95									○	○	○	○	○	○	○	○	○	○	○	○
105										○	○	○	○	○	○	○	○	○	○	○
115													○	○	○	○	○	○	○	○
125													○	○	○	○	○	○	○	○
135													○	○	○	○	○	○	○	○
145														○	○	○	○	○	○	○
155															○	○	○	○	○	○
165															○	○	○	○	○	○
175															○	○	○	○	○	○
185															○	○	○	○	○	○
205															○	○	○	○	○	○

(角)

9.5	13	16	19	22	25	28	32	38	44	50	55	60	65	70	75	90	100	110	120	130
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

在庫品でも欠品の場合があります。
 どうぞお問い合わせください。

ステンレス鋼

在庫あり●
取寄せ品○

(丸)

径	SUS303	SUS304	SUS310S	SUS316	SUS630	SUS403	SUS420J2	SUS440C
8	○4 or 6m		○4 or 6m	○4 or 6m		○4 or 6m	○4 or 6m	○4 or 6m
9	○ "							
10	○ "		○		○	○	○	○
12	○ "		○		○	○	○	○
13	○ "		○		○	○	○	○
14	○ "		○	○	○	○	○	○
15	○ "		○	○	○	○	○	○
16	● "	●4 or 6m	○		○	○	○	○
18	● "	● "	○	○	○	○	○	○
19	● "	● "	○	○	○	○	○	○
20	● "	● "	○	○	○	○	○	○
22	● "	● "	○	○	○	○	○	○
24	● "	● "	○	○	○	○	○	○
25	● "	● "	○	○	○	○	○	○
26	● "	● "	○	○	○	○	○	○
28	● "	● "	○	○	○	○	○	○
30	● "	● "	○	○	○	○	○	○
32	● "	● "	○	○	○	○	○	○
34	● "	● "	○	○	○	○	○	○
35	● "	● "						
36	● "	● "	○	○	○	○	○	○
38	● "	● "	○	○	○	○	○	○
40	● "	● "						○
42	● "	● "	○	○	○	○	○	○
44	● "	● "	○	○	○	○	○	○
45	● "	● "						
46	● "	● "	○	○	○	○	○	○
48	● "	● "	○	○	○	○	○	○
50	● "	● "	○	○	○	○	○	○
55	● "	● "	○		○	○	○	○
60	● "	● "	○	○	○	○	○	○
65	● "	● "	○	○	○	○	○	○
70	● "	● "	○	○	○	○	○	○
75	● "	● "	○	○	○	○	○	○
80	● "	● "	○			○		○
85	● "	● "	○			○		○
90	● "	● "	○	○		○		○
95	● "	● "	○			○		○
100	● "	● "	○		○	○		○

ステンレス鋼

在庫あり●
取寄せ品○

(丸)

径	鋼種	SUS303	SUS304	SUS310S	SUS316	SUS630	SUS403	SUS420J2	SUS440C
105		○4 or 6m	●4 or 6m				○		○
110		● "	● "	○4 or 6m	○4 or 6m	○4 or 6m	○4 or 6m	○4 or 6m	○4 or 6m
115		○ "	● "						
120		● "	● "	○ "	○ "	○ "	○ "	○ "	○ "
125		○ "	● "						
130		● "	● "	○ "	○ "	○ "	○ "	○ "	○ "
135		○ "	● "						
140		● "	● "	○ "	○ "	○ "	○ "	○ "	○ "
145		○ "	● "						
150		● "	● "	○ "	○ "	○ "	○ "	○ "	○ "
155			○ "						
160		● "	● "		○ "	○ "	○ "	○ "	○ "
170		● "	● "		○ "	○ "	○ "	○ "	
180		● "	● "		○ "	○ "	○ "	○ "	○ "
190		● "	● "		○ "	○ "	○ "	○ "	○ "
200		● "	● "		○ "	○ "	○ "	○ "	○ "
210		○ "	○ "		○ "		○ "	○ "	
220		○ "	○ "		○ "		○ "	○ "	
230		○ "	○ "		○ "		○ "	○ "	
240		○ "	○ "		○ "		○ "	○ "	
250		○ "	○ "		○ "		○ "	○ "	
260		○ "	○ "		○ "				
270		○ "	○ "		○ "		○ "	○ "	
280		○ "	○ "		○ "				
290		○ "	○ "		○ "				
300		○3mUP	○3mUP		○ "		○3mUP	○3mUP	
310		○ "	○ "						
320		○ "	○ "		○ "				
330			○ "						
340		○ "	○ "						
350		○ "	○ "		○ "		○3mUP		
360			○ "						
370		○ "			○ "				
380			○ "						
400		○ "	○ "		○ "				
420		○ "	○ "		○ "				
450		○ "	○ "		○ "				
480		○ "	○ "		○ "				
500		○ "	○ "		○ "				
530			○ "						

デンスバー 標準品サイズ及び重量表

普通鋳鉄

EC(丸)

(単位;kg)

φ	L	300mm	1000mm	2100mm	φ	L	300mm	1000mm	3000mm
17	mm	0.5	1.6	3.4	105	mm	18.7	62.3	186.9
20		0.7	2.3	4.8	110		20.5	68.4	205.2
22.5		0.9	2.9	6.1	115		22.4	74.8	224.4
25		1.1	3.6	7.6	120		24.4	81.4	244.2
28		1.3	4.4	9.2	125		26.5	88.4	265.2
30		1.5	5.1	10.7	130		28.7	95.6	286.8
32		1.7	5.8	12.2	135		30.9	103.1	309.3
35		2.1	6.9	14.5	140		33.2	110.8	332.4
38		2.5	8.2	17.2	145		35.7	118.9	356.7
40		2.7	9.1	19.1	150		38.2	127.2	381.6
42.5		3.1	10.2	21.4	155		40.8	135.9	407.7
45		3.4	11.4	23.9	160		43.4	144.8	434.4
φ	L	300mm	1000mm	3000mm	φ	L	300mm	1000mm	3000mm
50	mm	4.2	14.1	42.3	165		46.2	154.0	462.0
55		5.1	17.1	51.3	170		49.0	163.4	490.2
60		6.1	20.4	61.2	175		52.0	173.2	519.6
65		7.2	23.9	71.7	180		55.0	183.2	549.6
70		8.3	27.7	83.1	185		58.1	193.5	580.5
75		9.5	31.8	95.4	190		61.2	204.1	612.3
80		10.9	36.2	108.6	200		67.9	226.2	678.6
85		12.3	40.9	122.7	205		71.3	237.6	712.8
90		13.7	45.8	137.4	210		74.8	249.4	748.2
95		15.3	51.0	153.0	220		82.1	273.7	821.1
100		17.0	56.5	169.5	230		90.0	299.9	899.7
					240		97.7	325.7	977.1

E-2(丸)

φ	L	300mm	1000mm	3000mm	φ	L	300mm	1000mm	3000mm
250	mm	106.0	353.4	1060.2	365		225.9	753.0	2259.0
260		114.6	382.1	1146.3	380		244.8	816.1	2448.3
270		123.6	412.0	1236.0	400		271.3	904.3	2712.9
285		137.7	459.1	1377.3	410		285.0	950.1	2850.3
300		152.6	508.7	1526.1	435		320.9	1069.5	3208.5
310		163.0	543.2	1629.6	450		343.4	1144.5	3433.5
325		179.1	597.0	1791.0	475		382.6	1275.2	3825.6
350		207.7	692.4	2077.2	500		423.9	1413.0	4239.0

E-C(角)

□	L	300mm	1000mm	3000mm	□	L	300	1000	3000
40	mm	3.5	11.5	34.5	90	mm	17.5	58.2	174.6
45		4.4	14.5	43.7	95		19.5	64.8	194.5
50		5.4	18.0	54.0	100		21.6	71.9	215.7
55		6.5	21.7	65.3	105		23.8	79.2	237.7
60		7.8	25.9	77.7	110		26.1	87.1	261.0
65		9.1	30.4	91.2	115		28.5	95.1	285.2
70		10.6	35.2	105.8	120		31.1	103.5	310.7
75		12.1	40.4	121.3	125		33.7	112.3	337.0
80		13.8	45.9	137.9	130		36.4	121.4	364.4
85		15.6	51.9	155.6	140		42.3	140.9	422.7

デンスバー 標準品サイズ及び重量表

普通鋳鉄

E-C(角)

(単位;kg)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
150	mm	48.5	161.8	485.4	190	mm	78.0	259.9	779.7
160		55.2	184.1	552.3	200		86.2	287.4	862.2
170		62.4	207.8	623.6	215		99.8	332.8	998.4
180		69.8	232.6	698.0	230		114.3	380.9	1142.7

E-2(角)

(単位;kg)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
250	mm	135.0	450.0	1350.0	375	mm	303.8	1012.5	3037.5
275		163.4	544.5	1633.5	400		345.6	1152.0	3456.0
300		194.4	648.0	1944.0	450		437.4	1458.0	4374.0
325		228.2	760.5	2281.5	500		540.0	1800.0	5400.0
350		264.6	882.0	2646.0					

E-C(平角)

(単位;kg)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
20X45	mm	2.0	6.5	19.5	50X100	mm	10.8	36.0	108.0
20X55		2.4	7.9	23.7	50X150		16.2	54.0	162.0
20X85		3.7	12.2	36.6	55X105		12.5	41.6	124.8
20X105		4.5	15.1	45.3	55X125		14.9	49.5	148.5
22X70		3.3	11.1	33.3	55X186		22.1	73.7	221.1
25X50		2.7	9.0	27.0	60X75		9.7	32.4	97.2
25X60		3.2	10.8	32.4	60X100		13.0	43.2	129.6
25X75		4.1	13.5	40.5	65X75		10.5	35.1	105.3
25X100		5.4	18.0	54.0	65X100		14.0	46.8	140.4
25X125		6.8	22.5	67.5	65X125		17.6	58.5	175.5
29X53		3.3	11.1	33.3	70X130		19.7	65.5	196.5
30X60		3.9	13.0	39.0	75X90		14.6	48.6	145.8
30X80		5.2	17.3	51.9	75X100		16.2	54.0	162.0
30X145		9.4	31.3	93.9	75X125		20.3	67.5	202.5
35X75		5.7	18.9	56.7	75X150		24.3	81.0	243.0
35X90		6.8	22.7	68.1	80X170		29.4	97.9	293.7
35X100		7.6	25.2	75.6	90X125		24.3	81.0	243.0
35X125		9.5	31.5	94.5	90X150		29.2	97.2	291.6
35X150		11.3	37.8	113.4	100X125		27.0	90.0	270.0
38X75		6.2	20.5	61.5	100X150		32.4	108.0	324.0
40X85		7.4	24.5	73.5	100X200		43.2	144.0	432.0
43X50		4.7	15.5	46.5	110X170		40.4	134.6	403.8
45X85		8.3	27.5	82.5	125X190		51.3	171.0	513.0
45X110		10.7	35.6	106.8	130X215		60.4	201.2	603.6
45X130		12.6	42.1	126.3	140X175		52.9	176.4	529.2
50X65		7.0	23.4	70.2	215X245		113.8	379.3	1137.9
50X75		8.1	27.0	81.0					

E-2(平角)

	L	300mm	1000mm	3000mm
100X250	mm	54.0	180.0	540.0

デンスバー 標準品サイズ及び重量表

普通鋳鉄

E-C(平角)

(単位;kg)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
35X40	mm	3	10.1	30.3	74X85	mm	13.6	45.3	135.9
60X73		9.5	31.5	94.5	77X95		15.8	52.7	158.1
62X115		15.4	51.3	153.9	75X120		19.4	64.8	194.4
64X86		11.9	39.6	118.8	80X150		25.9	86.4	259.2
72X76		11.8	39.4	118.2	115X180		44.7	149	447

E-2(平角)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
150X510	mm	165.2	550.8	1652.4	150X910	mm	294.8	982.8	2948.4
150X710		230	766.8	2300.4					

ダクタイル鋳鉄

D-4(丸)

(単位;kg)

φ	L	300mm	1000mm	2100mm	φ	L	300mm	1000mm	2100mm
20	mm	0.7	2.3	4.8	35	mm	2.1	6.9	14.5
30		1.5	5.1	10.7					

D-4(角)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
215	mm	99.8	332.8	998.4	510	mm	561.8	1872.7	5618.1
325		228.2	760.5	2281.5					

D-4(平角)

	L	300mm	1000mm	3000mm		L	300mm	1000mm	3000mm
111X136	mm	32.6	108.7	326.1	200X300	mm	129.6	432	1296
150X250		81	270	810	250X350		189	630	1890

*常備在庫品ではありません。お問い合わせをお願いします。

デンスバー 標準品サイズ及び重量表

ダクタイル鋳鉄

D-4(丸)

(単位:kg)

φ	L	300mm	1000mm	2100mm	φ	L	300mm	1000mm	3000mm
40	mm	2.7	9.1	19.1	145	mm	35.7	118.9	356.7
φ	L	300mm	1000mm	3000mm	φ	L	300mm	1000mm	3000mm
50	mm	4.2	14.1	42.3	155		40.8	135.9	407.7
60		6.1	20.4	61.2	165		46.2	154.0	462.0
70		8.3	27.7	83.1	175		52.0	173.2	519.6
80		10.9	36.2	108.6	185		58.1	193.5	580.5
85		12.3	40.9	122.7	200		67.9	226.2	678.6
90		13.7	45.8	137.4	220		82.1	273.7	821.1
100		17.0	56.5	169.5	250		106.0	353.4	1060.2
110		20.5	68.4	205.2	300		152.6	508.7	1526.1
125		26.5	88.4	265.2	350		207.7	692.4	2077.2
135		30.9	103.1	309.3	500		423.9	1413.0	4239.0

D-5(丸)

*D-6材製作可能

φ	L	300mm	1000mm	2100mm	φ	L	300mm	1000mm	3000mm
40	mm	2.7	9.1	19.1	90	mm	13.7	45.8	137.4
45		3.4	11.4	23.9	100		17.0	56.5	169.5
φ	L	300mm	1000mm	3000mm	φ	L	300mm	1000mm	3000mm
50	mm	4.2	14.1	42.3	110		20.5	68.4	205.2
60		6.1	20.4	61.2	125		26.5	88.4	265.2
70		8.3	27.7	83.1	145		35.7	118.9	356.7
80		10.9	36.2	108.6	165		46.2	154.0	462.0
					200		67.9	226.2	678.6

D-4(角)

□	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
55	mm	6.5	21.7	65.3	95		19.5	64.8	194.5
65		9.1	30.4	91.2	105		23.8	79.2	237.7
75		12.1	40.4	121.3	125		33.7	112.3	337.0
85		15.6	51.9	155.6	150		48.5	161.8	485.4

D-4(平角)

	L	300mm	1000mm	3000mm		L	300mm	1000mm	3000mm
55X75	mm	8.1	27.0	81.0	100X150		32.4	108.0	324.0
55X100		10.8	36.0	108.0	110X245		58.2	194.0	582.0
55X150		16.2	54.0	162.0	156X207		69.8	232.5	697.5
65X100		14.0	46.8	140.4	204X394		173.6	578.7	1736.1
75X100		16.2	54.0	162.0	275X435		258.4	861.3	2583.9
75X150		24.3	81.0	243.0	355X405		310.6	1035.2	3105.6

D-5(平角)

	L	300mm	1000mm	3000mm	□	L	300mm	1000mm	3000mm
43X50	mm	4.7	15.5	46.5	60X75		9.7	32.4	97.2
50X65		7.0	23.4	70.2	100X150		32.4	108.0	324.0